

The logo of The University of Texas at Dallas, featuring a circular seal with the letters 'UTD' in the center, the text 'THE UNIVERSITY OF TEXAS AT DALLAS' around the perimeter, and 'EST. 1969' at the bottom. Two stars are positioned on either side of the 'EST. 1969' text.

Forward Kinematics and Product of Exponentials Formula


CS 6301 Special Topics: Introduction to Robot Manipulation and Navigation

Professor Yu Xiang


The University of Texas at Dallas

Forward Kinematics

- Forward kinematics of a robot: calculation of the position and orientation of its end-effector from its joint coordinates θ
- Recall robot links and joints



Forward Kinematics



Forward kinematics of a 3R planar open chain.

- General cases
 - Attaching frames to links
 - Using homogeneous transformations


$$T_{04} = T_{01}T_{12}T_{23}T_{34}$$

$$T_{01} = \begin{bmatrix} \cos \theta_1 & -\sin \theta_1 & 0 & 0 \\ \sin \theta_1 & \cos \theta_1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} \quad T_{12} = \begin{bmatrix} \cos \theta_2 & -\sin \theta_2 & 0 & L_1 \\ \sin \theta_2 & \cos \theta_2 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

$$T_{23} = \begin{bmatrix} \cos \theta_3 & -\sin \theta_3 & 0 & L_2 \\ \sin \theta_3 & \cos \theta_3 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} \quad T_{34} = \begin{bmatrix} 1 & 0 & 0 & L_3 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

$T_{i-1,i}$ Depends only on the joint variable θ_i

Forward Kinematics



Forward kinematics of a 3R planar open chain.


- A different approach
- Define M to the position and orientation of frame {4} when all the joint angles are zeros (“home” or “zero” position of the robot)

$$M = \begin{bmatrix} 1 & 0 & 0 & L_1 + L_2 + L_3 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

$$T_{04} = e^{[S_1]\theta_1} e^{[S_2]\theta_2} e^{[S_3]\theta_3} M$$

a product of matrix exponentials
(does not use any frame references, only {0} and M)

Product of Exponentials Formula



- Each link apply a screw motion to all the outward links
- Base frame {s}
- End-effector frame {b}


$$M \in SE(3)$$

{b} in {s} when all the joint values are zeros

$$T = e^{[S_n]\theta_n} M$$

{b} in {s} when joint n with value θ_n

Product of Exponentials Formula




$$T(\theta) = e^{[S_1]\theta_1} \dots e^{[S_{n-1}]\theta_{n-1}} e^{[S_n]\theta_n} M$$

Joint values $(\theta_1, \dots, \theta_n)$

- Space form of the product of exponentials formula
- Unlike D-H representation, no link reference frames need to be defined

Product of Exponentials Formula



A 3R spatial open chain

$$T(\theta) = e^{[\mathcal{S}_1]\theta_1} e^{[\mathcal{S}_2]\theta_2} e^{[\mathcal{S}_3]\theta_3} M$$

$$M = \begin{bmatrix} 0 & 0 & 1 & L_1 \\ 0 & 1 & 0 & 0 \\ -1 & 0 & 0 & -L_2 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

$$\mathcal{S}_1 = (\omega_1, v_1) \quad \omega_1 = (0, 0, 1) \quad v_1 = (0, 0, 0)$$

$$\omega_2 = (0, -1, 0) \quad q_2 = (L_1, 0, 0)$$

$$v_2 = -\omega_2 \times q_2 = (0, 0, -L_1)$$

$$\omega_3 = (1, 0, 0) \quad q_3 = (0, 0, -L_2)$$

$$v_3 = -\omega_3 \times q_3 = (0, -L_2, 0)$$

Cross Product


- Matrix notation

$$\mathbf{a} \times \mathbf{b} = \begin{vmatrix} \mathbf{i} & \mathbf{j} & \mathbf{k} \\ a_1 & a_2 & a_3 \\ b_1 & b_2 & b_3 \end{vmatrix}$$

$$\begin{aligned} \mathbf{a} \times \mathbf{b} &= \begin{vmatrix} a_2 & a_3 \\ b_2 & b_3 \end{vmatrix} \mathbf{i} - \begin{vmatrix} a_1 & a_3 \\ b_1 & b_3 \end{vmatrix} \mathbf{j} + \begin{vmatrix} a_1 & a_2 \\ b_1 & b_2 \end{vmatrix} \mathbf{k} \\ &= (a_2 b_3 - a_3 b_2) \mathbf{i} - (a_1 b_3 - a_3 b_1) \mathbf{j} + (a_1 b_2 - a_2 b_1) \mathbf{k}. \end{aligned}$$

https://en.wikipedia.org/wiki/Cross_product

Product of Exponentials Formula



A 3R spatial open chain


$$[S_1] = \begin{bmatrix} 0 & -1 & 0 & 0 \\ 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix}$$

$$[S_2] = \begin{bmatrix} 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 0 \\ 1 & 0 & 0 & -L_1 \\ 0 & 0 & 0 & 0 \end{bmatrix}$$

$$[S_3] = \begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & -1 & -L_2 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix}$$

| i | ω_i | v_i |
|-----|--------------|----------------|
| 1 | $(0, 0, 1)$ | $(0, 0, 0)$ |
| 2 | $(0, -1, 0)$ | $(0, 0, -L_1)$ |
| 3 | $(1, 0, 0)$ | $(0, L_2, 0)$ |

Product of Exponentials Formula




PoE forward kinematics for the 6R open chain

First three joints are at the same location

$$M = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 3L \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

| i | ω_i | v_i |
|-----|--------------|--------------|
| 1 | $(0, 0, 1)$ | $(0, 0, 0)$ |
| 2 | $(0, 1, 0)$ | $(0, 0, 0)$ |
| 3 | $(-1, 0, 0)$ | $(0, 0, 0)$ |
| 4 | $(-1, 0, 0)$ | $(0, 0, L)$ |
| 5 | $(-1, 0, 0)$ | $(0, 0, 2L)$ |
| 6 | $(0, 1, 0)$ | $(0, 0, 0)$ |

Product of Exponentials Formula




The RRPRRR spatial open chain

$$M = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & L_1 + L_2 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

| i | ω_i | v_i |
|-----|-------------|----------------|
| 1 | $(0, 0, 1)$ | $(0, 0, 0)$ |
| 2 | $(1, 0, 0)$ | $(0, 0, 0)$ |
| 3 | $(0, 0, 0)$ | $(0, 1, 0)$ |
| 4 | $(0, 1, 0)$ | $(0, 0, 0)$ |
| 5 | $(1, 0, 0)$ | $(0, 0, -L_1)$ |
| 6 | $(0, 1, 0)$ | $(0, 0, 0)$ |

Product of Exponentials Formula



Universal Robots' UR5 6R robot arm


$W_1 = 109$ mm, $W_2 = 82$ mm, $L_1 = 425$ mm

$L_2 = 392$ mm, $H_1 = 89$ mm $H_2 = 95$ mm

$$M = \begin{bmatrix} -1 & 0 & 0 & L_1 + L_2 \\ 0 & 0 & 1 & W_1 + W_2 \\ 0 & 1 & 0 & H_1 - H_2 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

| i | ω_i | v_i |
|-----|------------|----------------------------------|
| 1 | (0, 0, 1) | (0, 0, 0) |
| 2 | (0, 1, 0) | (- H_1 , 0, 0) |
| 3 | (0, 1, 0) | (- H_1 , 0, L_1) |
| 4 | (0, 1, 0) | (- H_1 , 0, $L_1 + L_2$) |
| 5 | (0, 0, -1) | (- W_1 , $L_1 + L_2$, 0) |
| 6 | (0, 1, 0) | ($H_2 - H_1$, 0, $L_1 + L_2$) |

Product of Exponentials Formula



Universal Robots' UR5 6R robot arm

$W_1 = 109$ mm, $W_2 = 82$ mm, $L_1 = 425$ mm

$L_2 = 392$ mm, $H_1 = 89$ mm $H_2 = 95$ mm

$$\theta_2 = -\pi/2 \text{ and } \theta_5 = \pi/2.$$

$$\begin{aligned} T(\theta) &= e^{[S_1]\theta_1} e^{[S_2]\theta_2} e^{[S_3]\theta_3} e^{[S_4]\theta_4} e^{[S_5]\theta_5} e^{[S_6]\theta_6} M \\ &= I e^{-[S_2]\pi/2} I^2 e^{[S_5]\pi/2} I M \\ &= e^{-[S_2]\pi/2} e^{[S_5]\pi/2} M \end{aligned}$$

$$e^{-[S_2]\pi/2} = \begin{bmatrix} 0 & 0 & -1 & 0.089 \\ 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 0.089 \\ 0 & 0 & 0 & 1 \end{bmatrix}, \quad e^{[S_5]\pi/2} = \begin{bmatrix} 0 & 1 & 0 & 0.708 \\ -1 & 0 & 0 & 0.926 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

$$T(\theta) = e^{-[S_2]\pi/2} e^{[S_5]\pi/2} M = \begin{bmatrix} 0 & -1 & 0 & 0.095 \\ 1 & 0 & 0 & 0.109 \\ 0 & 0 & 1 & 0.988 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

Recall Twists

- Spatial twist (spatial velocity in the space frame)

$$\mathcal{V}_s = \begin{bmatrix} \omega_s \\ v_s \end{bmatrix} \in \mathbb{R}^6 \quad [\mathcal{V}_s] = \begin{bmatrix} [\omega_s] & v_s \\ 0 & 0 \end{bmatrix} = \dot{T}T^{-1} \in se(3)$$

- Relationship

$$\begin{aligned} [\mathcal{V}_b] &= T^{-1}\dot{T} \\ &= T^{-1}[\mathcal{V}_s]T \end{aligned} \quad [\mathcal{V}_s] = T[\mathcal{V}_b]T^{-1}$$

Recall Adjoint Representations

- The adjoint representation of $T = (R, p) \in SE(3)$

$$[\text{Ad}_T] = \begin{bmatrix} R & 0 \\ [p]R & R \end{bmatrix} \in \mathbb{R}^{6 \times 6}$$

- The adjoint map associated with T

$$\mathcal{V} \in \mathbb{R}^6 \quad \mathcal{V}' = [\text{Ad}_T]\mathcal{V} \quad \text{or} \quad \mathcal{V}' = \text{Ad}_T(\mathcal{V})$$

$$[\mathcal{V}] \in se(3) \quad [\mathcal{V}'] = T[\mathcal{V}]T^{-1}$$

Recall Twists

$$\mathcal{V}_s = \begin{bmatrix} \omega_s \\ v_s \end{bmatrix} = \begin{bmatrix} R & 0 \\ [p]R & R \end{bmatrix} \begin{bmatrix} \omega_b \\ v_b \end{bmatrix} = [\text{Ad}_{T_{sb}}] \mathcal{V}_b$$

$$\mathcal{V}_b = \begin{bmatrix} \omega_b \\ v_b \end{bmatrix} = \begin{bmatrix} R^T & 0 \\ -R^T[p] & R^T \end{bmatrix} \begin{bmatrix} \omega_s \\ v_s \end{bmatrix} = [\text{Ad}_{T_{bs}}] \mathcal{V}_s$$

In general

$$\mathcal{V}_c = [\text{Ad}_{T_{cd}}] \mathcal{V}_d, \quad \mathcal{V}_d = [\text{Ad}_{T_{dc}}] \mathcal{V}_c$$

Screw Axes in the End-Effector Frame


- Proposition $e^{M^{-1}PM} = M^{-1}e^P M$ $Me^{M^{-1}PM} = e^P M$
- PoE formula

$$\begin{aligned} T(\theta) &= e^{[S_1]\theta_1} \dots e^{[S_n]\theta_n} M \\ &= e^{[S_1]\theta_1} \dots Me^{M^{-1}[S_n]M\theta_n} \\ &= e^{[S_1]\theta_1} \dots Me^{M^{-1}[S_{n-1}]M\theta_{n-1}} e^{M^{-1}[S_n]M\theta_n} \\ &= Me^{M^{-1}[S_1]M\theta_1} \dots e^{M^{-1}[S_{n-1}]M\theta_{n-1}} e^{M^{-1}[S_n]M\theta_n} \\ &= Me^{[B_1]\theta_1} \dots e^{[B_{n-1}]\theta_{n-1}} e^{[B_n]\theta_n}, \end{aligned}$$

$$[B_i] = M^{-1}[S_i]M \quad B_i = [\text{Ad}_{M^{-1}}]S_i, \quad i = 1, \dots, n$$

Body form of the product of exponentials formula

Screw Axes in the End-Effector Frame



PoE forward kinematics for the 6R open chain

$$M = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 3L \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$


| i | ω_i | v_i |
|-----|--------------|--------------|
| 1 | $(0, 0, 1)$ | $(0, 0, 0)$ |
| 2 | $(0, 1, 0)$ | $(0, 0, 0)$ |
| 3 | $(-1, 0, 0)$ | $(0, 0, 0)$ |
| 4 | $(-1, 0, 0)$ | $(0, 0, L)$ |
| 5 | $(-1, 0, 0)$ | $(0, 0, 2L)$ |
| 6 | $(0, 1, 0)$ | $(0, 0, 0)$ |

Space form

| i | ω_i | v_i |
|-----|--------------|---------------|
| 1 | $(0, 0, 1)$ | $(-3L, 0, 0)$ |
| 2 | $(0, 1, 0)$ | $(0, 0, 0)$ |
| 3 | $(-1, 0, 0)$ | $(0, 0, -3L)$ |
| 4 | $(-1, 0, 0)$ | $(0, 0, -2L)$ |
| 5 | $(-1, 0, 0)$ | $(0, 0, -L)$ |
| 6 | $(0, 1, 0)$ | $(0, 0, 0)$ |

Body form

Screw Axes in the End-Effector Frame




$$M = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & L_1 + L_2 + L_3 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

$$\mathcal{B}_i = (\omega_i, v_i)$$

| i | ω_i | v_i |
|-----|------------|-----------------------------|
| 1 | (0, 0, 1) | (0, 0, 0) |
| 2 | (0, 1, 0) | ($L_1 + L_2 + L_3$, 0, 0) |
| 3 | (0, 0, 1) | (0, 0, 0) |
| 4 | (0, 1, 0) | ($L_2 + L_3$, 0, W_1) |
| 5 | (0, 0, 1) | (0, 0, 0) |
| 6 | (0, 1, 0) | (L_3 , 0, 0) |
| 7 | (0, 0, 1) | (0, 0, 0) |

Barrett Technology's WAM 7R robot arm at its zero configuration

Screw Axes in the End-Effector Frame



$$\theta_2 = 45^\circ, \theta_4 = -45^\circ, \theta_6 = -90^\circ$$

$$T(\theta) = M e^{[\mathcal{B}_2]\pi/4} e^{-[\mathcal{B}_4]\pi/4} e^{-[\mathcal{B}_6]\pi/2} = \begin{bmatrix} 0 & 0 & -1 & 0.3157 \\ 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 0.6571 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

Barrett Technology's WAM 7R robot arm at its zero configuration

Summary

- Forward kinematics
- Product of Exponentials Formula
 - Space form
 - Body form

Further Reading

- Chapter 4 in Kevin M. Lynch and Frank C. Park. Modern Robotics: Mechanics, Planning, and Control. 1st Edition, 2017.